Honeywell

View More

Product Family

Tectonic™ Safety Eyewear

Shifting the Concept of Affordable Safety.

It can be difficult to protect workers while staying within a tight budget. Often, saving money means you have to sacrifice fit and comfort. With Tectonic safety eyewear, you won't have to compromise. Simplify your budget and compliance goals with the comfortable and affordable Tectonic from Sperian Protection. It will shift your expectations for budget-friendly safety.

Product Numbers & Ordering Information

	Product Numbers	Details
	XV200	**Black Gloss Temple** Clear, Hardcoat Anti-scratch Lens
	XV201	**Black Gloss Temple** TSR Gray, Hardcoat Anti-scratch Lens
	XV202	**Black Gloss Temple** Amber, Hardcoat Anti-scratch Lens

	XV203	**Black Gloss Temple** Silver Mirror, Hardcoat Anti-scratch Lens
	XV204	**Black Gloss Temple** I/O Silver Mirror, Hardcoat Anti-scratch Lens

Packaging Information

Polybag, 10/stocker, 200/case
Unit size: 5.1" x 9"
Unit weight: 0.89oz.
Stocker size: 11.3" x 6.9" x 23.3"
Stocker weight: 1.1 lb.
Case size: 28.8" x 14.3" x 23.3"
Case weight: 26 lbs.

Overview

Key Features

- Weighs less than one ounce (25.2 grams) for lightweight comfort
- Flexible temples provide just the right amount of tension to comfortably keep eyewear in place
- Comfort-molded nosepiece fits most wearers without obscuring vision
- Wrap-around 9-base curve lens offers a close fit with excellent side protection
- Available in a wide array of lens tints to meet the needs of most work environments
- Anti-scratch hardcoat extends the life of the lens for longer wear
- Fog-ban® anti-fog coating, available in clear and gray tints, helps keep lenses clear in humid or extreme environments
- All lenses provide 99.9% UV protection

Recommended Industries/Use

- Construction
- Manufacturing

Hazards

- Abrasion
- Impact
- Low Visibility

Regulations

- ANSI Z87+ - Meets ANSI Z87.1 (High Impact) Standards

Warranty Information

LIMITED WARRANTY: Sperian warrants that is products are free from defects in material and workmanship. A product that is subject of a warranty claim must first be made available to an authorized Sperian Safety distributor or the to seller from whom the product was purchased. All warranty returns must be shipped pre-paid. Sperian or the Sperian Safety distributor will then

determine whether repair or replacement of the product is the appropriate remedy. This will be done at no charge to the end-user. This limited warranty does not cover any Sperian product or component found to have been altered, misused, abused tampered with or improperly maintained or to have deteriorated due to aging of any components made of rubber or any other elastomer. This limited warranty does not cover any damage, loss or expense due to damage caused by accident, abuse, improper maintenance, use or misuse of the product. Sperian Safety should be used only on strict accordance wtih and adherence to the detailed instructions and warnings provided with the product.

Literature & Documents

Data Sheet Tectonic Safety Eyewear
http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Eye_and_Face_Pro

Shifting the Concept of Affordable Safety. It can be difficult to protect workers while staying within a tight budget. Often, saving money means you have to sacrifice fit and comfort. With Tectonic safety eyewear, you wont have to compromise. Simplify your budget and compliance goals with the comfortable and affordable

Datasheet_Tectonic_ESP
http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Eye_and_Face_Pro

Cambiando el Concepto de la Seguridad Econmica Resulta difcil proteger a los trabajadores cuando se cuenta con un presupuesto limitado. A menudo ahorrar dinero significa tener que sacrificar ajuste y comodidad. Con los lentes de seguridad Tectonic, ya no tendr que hacer sacrificios. Simplifique su presupuesto y sus obj

Training & Proper Use

All products come packaged with instructions and warnings for proper use.

Technical Support

information@sperian.com; 800-682-0839

RELATED PRODUCTS

Honeywell

For general inquiries
800.343.3411
View other region sites
© 2013 Honeywell International Inc.