Product Family

Miller Temporary Roof Anchors (AUS)

Roof anchors are for temporary anchorage connection.

Visit MillerFallProtection.com >
Interactive Miller Catalog >
Access the Miller Photo Gallery >

MILLER by Honeywell

Product Numbers & Ordering Information

	Product Numbers	Details
	RA	**Roofing Tee** Anchorage point for maintenance and roof work; Refer to AS/NZS 1891.4 for information on anchorage strength, position and other application guidelines.

Additional Information

Right angled anchor plate to clamp securely onto a roofs edge. A curved arm, which is suited to corrugated roof work. Screws to clamp onto the roof for extra stability. Attach to a structure which conforms to the load requirements in AS/NZS 1891.4

Overview

Key Features

The Miller temporary roof anchor provides a safe, secure anchorage point for maintenance, and roof work.

Recommended Industries/Use

- Agriculture
- Chemical

- Construction
- Food Services
- Forestry
- Manufacturing
- Mining
- Municipal Services
- Oil and Gas
- Pharmaceutical
- Steel and Metals
- Transportation
- Utilities

Hazards

- Fall from height

Regulations

- - Refer to AS/NZS 1891.4 for information on anchorage selection and strength.

Warranty Information

MILLER FALL PROTECTION PRODUCT TOTAL SATISFACTION ASSURANCE At Sperian Protection, we have been providing quality Miller brand fall protection equipment to millions of workers worldwide since 1945. LIMITED LIFETIME WARRANTYBACKED BY OVER 60 YEARS IN THE FALL PROTECTION BUSINESS We sincerely believe that our fall protection equipment is the best in the world. Our products endure rigorous tests to ensure that the fall protection equipment you trust is manufactured to the highest standards. Miller fall protection products are tested to withstand normal wear and tear, but are not indestructible and can be damaged by misuse. Our Limited Lifetime Warranty does not apply to normal wear and tear or abusive treatment of the product. In the unlikely event that you should discover defects in either workmanship or materials, under our Limited Lifetime Warranty, we will repair or replace the product at our expense. If a replacement is necessary and your product is no longer available, a comparable product will be substituted. Should a product issue surface, contact us at 1300 139 166 (Aust customers) or 0800 322 200 (NZ customers) Manufacturing specifications are subject to change without notice.

Specifications

Working Load	1 person
Weight	1.2kg
Specification Sheets	For full engineering specification sheets, go to the spec sheet section under downloads and documentation

Data Sheet Temporary Roof Anchor Tee M1030048 - AUS
http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection

Literature & Documents

Data Sheet Temporary Roof Anchor Tee M1030048 - AUS

Miller Roof Clamp M1030067_AUS_DS

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection

► ► ► MILLER ROOF CLAMP — M1030067 PRODUCT INFORMATION The Miller Temporary Roof Clamp provides a safe and secure anchorage point for maintenance and Roof work. PRODUCT FEATURES ⇒ Single Person Fall Arrest Anchor Point ⇒ Easily clamps on to roofing material ⇒ Complete in Orange for high visibility. ⇒ Should be attached

Miller Industry Fall Protection Guide Poster - AUS

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection

Industry Fall Protection Guide Post 13 Sperian Protection Australia Pty Ltd 3 Walker St, Braeside, Victoria 3195 Australia Tel: 1300 139 166 Fax: 1300 362 491 New Zealand Tel: 0800 322 200 www.sperianprotection.com.au POLYESTER CONSTRUCTION HARNESS WEBBING LANYARD ADJUSTABLE LANYARD MILLER ANCHOR GRIPS™ TIE-OFF ADAPTOR

Training & Proper Use

Please refer to product instruction sheets included with the products prior to use.

Additional Information

marketing.australia@sperianprotection.com or ph: 1300 139 166

Technical Support

1300 139 166 (Aust) or 0800 322 200 (NZ)

© Honeywell International Inc.