



Produktfamilj Protege Extreme

Put it on and Go!







A Line Extension to our best-selling Protege Family!

Same great features as Protege but now with:

- Larger lens size to fit even MORE faces
- Extreme condition coatings to protect against the toughest environments
- Large extensive range of lens tint options to improve visual clarity

Honeywell

Product Numbers &

	1031270	Protege Extreme Clear, Supra-Dura Hardcoat coating
	1031271	Protege Extreme Clear, Dura-streme Hard Coat & FogBan combination coating
	1031272	Protege Extreme Blue Mist, Fog Ban coating
	1031273	Protege Extreme Amber, Fog ban coating
	1031274	Protege Extreme I/O Silver, Hardcoat coating
	1031275	Protege Extreme SCT Grey, Supra-Dura Hardcoat coating

Översikt

Viktigaste egenskaperna

Protege Extreme

- A line extension to our best-selling Protege Family.
- Same great features as Protege Family.
- Ultra lightweight design at only 25.30 grams (less than one ounce!).
- Options available in Dura-streme, Supra-Dura and Fog-Ban Coatings.
- Larger lens size for enhanced face and cheek coverage to fit a wider range of facial profiles.
- A more extensive range of lens tint options offered to improve visual clarity and precision where acute attention to detail is required.
- Skus available with K&N markings
- Meets EN 166, Optical Class 1

Rekommenderade branscher/rekommenderat användningsområde

- Byggindustri
- Livsmedel
- Polis
- Tillverkning
- Sjukvård
- Läkemedel
- Transport
- Vatten och energi

Risker

- Nötning
- Luftburna partiklar
- Extrema miljöer
- Stöt
- Dålig sikt

Föreskrifter

- EN 166:2001 - In conformity with Council Directive 89/686/EEC and associated amendments, relating to personal protective equipment

Överensstämmelse med REACH

Product Meets REACH requirements with regard to Regulations (EC) No. 1907/2006 ("REACH") in accordance with all regulations and ordinances and Honeywell's Code of Business Code. Absent Honeywell's prior written consent, no Goods will contain any of the substances identified in Article 4.1 of the European Parliament Directive 2002/95/EC (RoHS Directive) as that Directive is updated from time to time, or similar laws or regulations, restricting the use of hazardous materials in other jurisdictions.

Garantiinformation

Product is subject to a 1-year limited warranty

Specifikationer

Lens Material

- Polycarbonate

Frame Material

- Tritan TX 1000

Temple Material

- Polycarbonate

Lens Overall Width

- 147.32mm

Lens Coatings

- Available in Supra-Dura, Durastreme & Fog-Ban+

Lens Thickness

- 2.1 mm

Lens Tints

- Available in Clear, Amber, Blue Mist, I/O Silver and SCT Grey Combinations

Lens Base Curve

- 6.5 Base Curve

Rx Capable

- No

Frame Color

- Shiny black with orange TPE padded material on temple tips

Dielectric

- No

Spectacle Weight

- 25.30 grams

Nosepiece

- TPE Soft Material, Pewter color

Logo Placement

- Honeywell Logo pad printed in WHITE on both temples

Country of Origin

- USA

Harmonization Code

- 9004.90.0000 (Eyewear)