



Product Family
Uvex Ambient OTG








OTG eyewear with exceptional peripheral vision and coverage. Adjustable and bendable, wire-core temples offer flexibility for a secure, customized fit. Offered in two sizes.

Learn more about all of our Uvex plano products at uvex.us >

Learn more about our Uvex Rx safety frames at uvexrx.com >



Product Numbers & Ordering Information

Product Numbers	Details
 S3150	Large, Blue Frame Clear Lens, Ultra-dura Anti-scratch Coating
 S3150X	Large, Blue Frame Clear Lens, Uvextreme Anti-fog Coating
 S3150D	Large, Blue Frame Clear Lens, Dura-streme Dual (Anti-Fog / Anti-Scratch)
 S3151	Large, Blue Frame Amber Lens, Ultra-dura Anti-scratch Coating
 S3151X	Large, Blue Frame Amber Lens, Uvextreme Anti-fog Coating
 S3152	Large, Blue Frame Standard Gray Lens, Ultra-dura Anti-scratch Coating
 S3152X	Large, Blue Frame Standard Gray Lens, Uvextreme Anti-fog Coating



S3153

Large, Blue Frame

Shade 3.0 Infra-dura Lens, Ultra-dura Anti-scratch Coating



S3155

Large, Blue Frame

Shade 5.0 Infra-dura Lens, Ultra-dura Anti-scratch Coating



S3160

Medium, Blue Frame

Clear Lens, Ultra-dura Anti-scratch Coating



S3161

Medium, Blue Frame

Amber Lens, Ultra-dura Anti-scratch Coating



S3162

Medium, Blue Frame

Standard Gray Lens, Ultra-dura Anti-scratch Coating



S3163

Medium, Blue Frame

Shade 3.0 Infra-dura Lens, Ultra-dura Anti-scratch Coating



S3165

Medium, Blue Frame

Shade 5.0 Infra-dura Lens, Ultra-dura Anti-scratch Coating



S6440

Replacement Lens

Large, Clear, Ultra-dura Anti-Scratch Coating



S6440X

Replacement Lens

Large, Clear, Uvextreme Anti-Fog Coating



S6440D

Replacement Lens

Large, Clear, Dura-streme Dual (Anti-Fog / Anti-Scratch) Coating



S6441

Replacement Lens

Large, Amber, Ultra-dura Anti-Scratch Coating



S6441X

Replacement Lens










Large, Amber, Uvextreme Anti-Fog Coating



S6442

Replacement Lens

Large, Standard Gray, Ultra-dura Anti-Scratch Coating

	S6442X	Replacement Lens Large, Standard Gray, Uvextreme Anti-Fog Coating
	S6443	Replacement Lens Large, Shade 3.0 Infra-dura, Ultra-dura Anti-Scratch Coating
	S6445	Replacement Lens Large, Shade 5.0 Infra-dura, Ultra-dura Anti-Scratch Coating
	S6450	Replacement Lens Medium, Clear, Ultra-dura Anti-Scratch Coating
	S6451	Replacement Lens Medium, Amber, Ultra-dura Anti-Scratch Coating
	S6452	Replacement Lens Medium, Standard Gray, Ultra-dura Anti-Scratch Coating
	S6453	Replacement Lens Medium, Shade 3.0 Infra-dura, Ultra-dura Anti-Scratch Coating
	S6455	Replacement Lens Medium, Shade 5.0 Infra-dura, Ultra-dura Anti-Scratch Coating
	S3175	Replacement Nosepiece

Additional Information

Packaging (spectacle) Ind. box, 10/stocker, 200/case Unit Weight (spectacle) 1.6 / 1.6 oz. (44 / 46.3 g) Ind. Box-Bag Dimensions (spectacle) 2.2" x 2.7" x 6.6" (5.6 x 6.9 x 16.8 cm) Ind. Box-Bag weight (spectacle) 2.4 oz (69 g) Stocker dimensions (spectacle) 11.5 x 6.8 x 5.7" (29.2 x 17.3 x 14.5 cm) Stocker weight (spectacle) 25 oz (0.7 kg) Master Case Dimensions (spectacle) 28.9 x 14.5" x 23.6" (73.5 x 36.9 x 60 cm) " Master Case Weight (spectacle) 31.25 lbs (14.2 kg.) Packaging (Repl. Lens) Ind. polybag, 10/box, 200/case Unit Weight (Repl. Lens) 1.1 oz (31.5 g) Ind. Box-Bag dimensions (Repl. Lens) 6.5 x 2.2" (165 x 56 mm) Ind. Box-Bag weight (Repl. Lens) 1.1 oz (31.0 g) Stocker dimensions (Repl. Lens) 11.5 x 6.8 x 5.7" (29.2 x 17.3 x 14.5 cm) Stocker weight (Repl. Lens) 11 oz (0.3kg) Case Dimensions (Repl. Lens) 11.5 x 11.5 x 6.8" (29.2 x 29.2 x 17.3 cm) Case Weight (Repl. Lens) 13.75 lbs (6.25 kg)

Overview

Key Features

The Uvex Ambient provides over-the-glass coverage, offering your workers full protection while wearing their own prescription eyewear. Available with a range of comfort features and in two sizes, the Uvex Ambient OTG offers all-day coverage for a variety of workers and a wide range of prescription eyewear styles. This high performance model can improve your workers' productivity as well as lower your cost-of-ownership with Uvex's renowned tints and lens replacement system. The Uvex Ambient OTG is lightweight, comfortable and a stylish alternative to prescription safety eyewear.

Uvex Ambient OTG

- Exceptional peripheral vision and coverage in a lightweight, wraparound uni-lens design.
- Available with Dura-streme Technology (dual Anti-Fog and Anti-Scratch) for 3x* longer lens life, Uvextreme Anti-Fog or Ultra-dura Anti-Scratch coatings.
- Available in Clear, Amber, Standard Gray and Shade 3.0 and 5.0 Welding tints.
- Impact protection certified to ANSI Z87.1- 2003 (High Impact) and tested by Honeywell to meet the requirements of the CSA Z94.3 standard.
- Soft, flexible nasal fingers conform to a variety of facial profiles and minimize slippage.
- Adjustable and bendable, wire-core temples offer complete flexibility with secure, customized fit.
- Offered in two lens sizes (medium and large) to fit a variety of users and prescription eyewear styles. The medium version has a 13% smaller lens than the larger version.
- Economical and easy lens replacement allows multiple tints and extends the life of the eyewear.

Recommended Industries/Use

- Agriculture
- Food Services
- Government
- Manufacturing
- Medical
- Mining
- Municipal Services
- Oil and Gas
- Pharmaceutical
- Welding

Hazards

- Abrasion
- Airborne Particulates
- Biohazard
- Impact
- Low Visibility

Regulations

- ANSI Z87.1-2003 (High Impact) - Meets ANSI Z87.1-2003 (High Impact) standard
- CSA Z94.3 - Tested by Honeywell to meet the requirements of the CSA Z94.3 standard

Historical Brand

Uvex

Warranty Information

Lifetime frame guarantee.

Specifications

Lens overall width

- 5.2 / 5.4 (133 / 137mm) "

Lens material

- Polycarbonate

Lens coating

- Dura-streme Dual Technology (Anti-fog & Anti-Scratch), Uvextreme Anti-fog, Ultra-dura Anti-scratch

Lens thickness

- 0.1" (2.1mm)

Lens tints

- Clear, Standard Gray, Amber, Shade 3.0, Shade 5.0

Lens base curve

- 2.5 Base

Replacement lenses available (yes/no)

- Yes

Rx capable

- Yes

Temple material

- G-F Nylon / Wire Core TPE

Temple length

- 5.1" (130mm)

Temple set-back

- 0.8" (20mm)

Temple style

- Flexible Wire Core

Frame material

- Polycarbonate

Frame colors

- Blue

Dielectric frame

- No

Country of origin

- Made in USA (Smithfield, RI) w/ US and Foreign components (China)

Training & Proper Use

All products come packaged with instructions and warnings for proper use.

Technical Support

(800) 682-0839, Sperian Protection Americas, Customer Care

RELATED PRODUCTS