










Product Family
Miller Body Belts

Should be used for work positioning only or be used in conjunction with a full-body harness to provide fall protection.

[Visit MillerFallProtection.com](http://MillerFallProtection.com) > Miller Logo

Product Numbers & Ordering Information

Product Numbers	Details
 123N/LBK	Single D-ring Body Belt for Work Positioning Only 1-3/4 in. webbing - Size Large
 123N/MBK	Single D-ring Body Belt for Work Positioning Only 1-3/4 in. webbing - Size Medium
 123N/SBK	Single D-ring Body Belt for Work Positioning Only 1-3/4 in. webbing - Size Small
 123N/UBK	Single D-ring Body Belt for Work Positioning Only 1 3/4 in. webbing - Size Universal
 123N/XLBK	Single D-ring Body Belt for Work Positioning Only 1-3/4 in. webbing - Size XLarge
 123N/XSBK	Single D-ring Body Belt for Work Positioning Only 1-3/4 in. webbing - Size Xsmall
 123N/XXLBK	Single D-ring Body Belt for Work Positioning Only 1-3/4 in. webbing - Size XXLarge

Miller Body Belts



123N/XXSBK

Single D-ring Body Belt for Work Positioning Only
1-3/4 in. webbing - Size XXSmall



123N/XXXLBK

Single D-ring Body Belt for Work Positioning Only
1-3/4 in. webbing - Size XXXLarge



124N/LBK

Double D-ring Body Belt for Work Positioning Only
1-3/4 in. webbing - Size Large



124N/MBK

Double D-ring Body Belt for Work Positioning Only
1-3/4 in. webbing - Size Medium



124N/SBK

Double D-ring Body Belt for Work Positioning Only
1-3/4 in. webbing - Size Small



124N/UBK

Double D-ring Body Belt for Work Positioning Only
1-3/4 in. webbing - Size Universal with 11 grommets



124N/XLBK

Double D-ring Body Belt for Work Positioning Only
1-3/4 in. webbing - Size XLarge



124N/XSBK

Double D-ring Body Belt for Work Positioning Only
1-3/4 in. webbing - Size Xsmall



124N/XXLBK

Double D-ring Body Belt for Work Positioning Only
1-3/4 in. webbing - Size XXLarge



124N/XXXLBK

Double D-ring Body Belt for Work Positioning Only
1-3/4 in. webbing - Size XXXLarge



2NA/LBK

Double D-ring Body Belt for Work Positioning Only
1 3/4"webbing w/ 3" back pad - Size Large



2NA/MBK

Double D-ring Body Belt for Work Positioning Only
1 3/4"webbing w/ 3" back pad - Size Medium



2NA/SBK

Double D-ring Body Belt for Work Positioning Only
1 3/4"webbing w/ 3" back pad - Size Small

Miller Body Belts



2NA/UBK

Double D-ring Body Belt for Work Positioning Only

1 3/4"webbing w/ 3" back pad - Size Universal



2NA/XLBK

Double D-ring Body Belt for Work Positioning Only

1 3/4"webbing w/ 3" back pad - Size XLarge



2NA/XSBK

Double D-ring Body Belt for Work Positioning Only

1 3/4"webbing w/ 3" back pad - Size Extra Small



2NA/XXLBK

Double D-ring Body Belt for Work Positioning Only

1 3/4"webbing w/ 3" back pad - Size XXLarge



2NA/XXXLBK

Double D-ring Body Belt for Work Positioning Only

1 3/4"webbing w/ 3" back pad - Size XXXLarge



2NAL/LBK

Double D-ring Body Belt for Work Positioning Only

1 3/4"webbing w/ 3" back pad and lamp strap - Size Large



2NAL/MBK

Double D-ring Body Belt for Work Positioning Only

1 3/4"webbing w/ 3" back pad and lamp strap - Size Medium



2NAL/SBK

Double D-ring Body Belt for Work Positioning Only

1 3/4"webbing w/ 3" back pad and lamp strap - Size Small



2NAL/XLBK

Double D-ring Body Belt for Work Positioning Only

1 3/4"webbing w/ 3" back pad and lamp strap - Size XLarge



2NAL/XSBK

Double D-ring Body Belt for Work Positioning Only

1 3/4"webbing w/ 3" back pad and lamp strap - Size Xsmall



2NAL/XXLBK

Double D-ring Body Belt for Work Positioning Only

1 3/4"webbing w/ 3" back pad and lamp strap - Size XXLarge



3NA/LBK

Single D-ring Body Belt for Work Positioning Only

1 3/4"webbing w/ 3" back pad - Size Large



3NA/MBK

Single D-ring Body Belt for Work Positioning Only

1 3/4"webbing w/ 3" back pad - Size Medium

Miller Body Belts



3NA/SBK

Single D-ring Body Belt for Work Positioning Only
1 3/4"webbing w/ 3" back pad - Size Small



3NA/UBK

Single D-ring Body Belt for Work Positioning Only
1 3/4"webbing w/ 3" back pad - Size Universal



3NA/XLBK

Single D-ring Body Belt for Work Positioning Only
1 3/4"webbing w/ 3" back pad - Size XLarge



3NA/XSBK

Single D-ring Body Belt for Work Positioning Only
1 3/4"webbing w/ 3" back pad - Size Xsmall



3NA/XXLBK

Single D-ring Body Belt for Work Positioning Only
1 3/4"webbing w/ 3" back pad - Size XXLarge



3NA/XXSBK

Single D-ring Body Belt for Work Positioning Only
1 3/4"webbing w/ 3" back pad - Size XXSmall



3NA/XXXLBK

Single D-ring Body Belt for Work Positioning Only
1 3/4"webbing w/ 3" back pad - Size XXXLarge



6414NL/LBK

Miner's Body Belt for Work Positioning Only
Large Black body belt, 1-3/4 in. nylon with lamp strap



6414NL/MBK

Miner's Body Belt for Work Positioning Only
Medium Black body belt, 1-3/4 in. nylon with lamp strap



6414NL/SBK

Miner's Body Belt for Work Positioning Only
Small Black body belt, 1-3/4 in. nylon with lamp strap



6414NL/XLBK

Miner's Body Belt for Work Positioning Only
XLarge Black body belt, 1-3/4 in. nylon with lamp strap



6414NL/XXLBK

Miner's Body Belt for Work Positioning Only
XXLarge Black body belt, 1-3/4 in. nylon with lamp strap



6414NLS/LBK

Miner's Body Belt for Work Positioning Only
Large Black body belt, 1-3/4 in. nylon with 2 lamp straps

Miller Body Belts



6414NLS/MBK

Miner's Body Belt for Work Positioning Only

Medium Black body belt, 1-3/4 in. nylon with 2 lamp straps



6414NLS/SBK

Miner's Body Belt for Work Positioning Only

Small Black body belt, 1-3/4 in. nylon with 2 lamp straps



6414NLS/XLKB

Miner's Body Belt for Work Positioning Only

XLarge Black body belt, 1-3/4 in. nylon with 2 lamp straps



6414NLS/XXLKB

Miner's Body Belt for Work Positioning Only

XXLarge Black body belt, 1-3/4 in. nylon with 2 lamp straps



6414NLS/XXXLKB

Miner's Body Belt for Work Positioning Only

XXXLarge Black body belt, 1-3/4 in. nylon with 2 lamp straps

Overview

Key Features

Quality Craftmanship For Work Positioning Only - Can be used in conjunction with a full-body harness to provide fall protection

Recommended Industries/Use

- Mining
- Utilities

Hazards

- Confined Space
- Fall from height

Regulations

- Meets all applicable OSHA, ANSI and CSA standards

Warranty Information

We sincerely believe that our fall protection equipment is the best in the world. Our products endure rigorous test to ensure that the fall protection equipment you trust is manufactured to the highest standards. Miller fall protection products are tested to withstand normal wear and tear, but are not indestructible and can be damaged by misuse. Our Limited Lifetime Warranty does not apply to normal wear and tear or abusive treatment of the product. In the unlikely event that you should discover defects in either workmanship or materials, under our Limited Lifetime Warranty, we will repair or replace the product at our expense. If a replacement is necessary and your product is no longer available, a comparable product will be substituted. Should a product issue surface, contact us at 800/873-5242. Manufacturing specifications are subject to change without notice.

Specifications

Small

- 32" - 40" (813 - 1016mm), add "/SBK" (Ex.: 2NA/SBK)

Medium

- 36" - 44" (914 - 1117mm), add "/MBK"

Large

- 42" - 48" (1067 - 1219mm), add "/LBK"

X-Large

Miller Body Belts

- 44" - 52" (1117 - 1320mm), add "/XLBK"

XX-Large

- 48" - 56" (1219 - 1422mm), add "/XXLBK"

XX-Small and X-Small

- Sizes available upon request

Literature & Documents

Miller Harness and Body Belts Manual - US

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Full_Body_Harness/16289/1033.aspx

Miller Harness and Body Belts Instruction Manual

Training & Proper Use

Proper product training and professional fall protection training is recommended. Refer to Product Use Instructions enclosed with products.

Additional Information

800/873-5242 or 814/423-2118 email: millertechexpert@sperianprotection.com

Technical Support

Contact Miller Technical Service at 800/873-5242 or 814/423-2118 email: millertechexpert@sperianprotection.com