









Product Family
Miller Falcon Self-Retracting Lifelines (AUS)





Pound for pound the strongest, most durable retractable. Lifeline available in 6mtr., 10mtr., 15mtr. and 20mtr. lengths.

[Visit MillerFallProtection.com](http://MillerFallProtection.com) >



Product Numbers & Ordering Information

Product Numbers	Details
 1011728	Conforms to standard EN 360, Accepted under clause 1.6 of AS/NZS 1891.3 Falcon Type 2 Fall Arrestor Gal wire 6mtr Length
 1011742	Conforms to standard EN 360, Accepted under clause 1.6 of AS/NZS 1891.3 Falcon Type 2 Fall Arrestor Gal wire 10mtr Length
 1011746	Conforms to standard EN 360, Accepted under clause 1.6 of AS/NZS 1891.3 Falcon Type 2 Fall Arrestor Gal wire 15mtr Length
 1011750	Conforms to standard EN 360, Accepted under clause 1.6 of AS/NZS 1891.3 Falcon Type 2 Fall Arrestor Gal wire 20mtr Length
 1013960	Conforms to standard EN 360, Accepted under clause 1.6 of AS/NZS 1891.3 Falcon Type 2 Fall Arrestor SS 6mtr Length
 1012261	Conforms to standard EN 360, Accepted under clause 1.6 of AS/NZS 1891.3 Falcon Type 2 Fall Arrestor SS 10mtr Length

	1012262	Conforms to standard EN 360, Accepted under clause 1.6 of AS/NZS 1891.3 Falcon Type 2 Fall Arrestor SS 15mtr Length
	1012263	Conforms to standard EN 360, Accepted under clause 1.6 of AS/NZS 1891.3 Falcon Type 2 Fall Arrestor SS 20mtr Length
	1016794	Conforms to standard EN 360, Accepted under clause 1.6 of AS/NZS 1891.3 Falcon Type 2 Fall Arrestor webbing 6mtr Length
	1016796	Conforms to standard EN 360, Accepted under clause 1.6 of AS/NZS 1891.3 Falcon Type 2 Fall Arrestor webbing 6mtr Length

Additional Information

Dual swivels (unit top and snap hook) included on all models to minimise lifeline from twisting during use. New and improved load indicator on the snap hook identifies when the unit needs to be removed from service.

Overview

Key Features

The Miller Falcon fall arrestor is nearly indestructible. The high impact-resistant nylon housing withstands the harsh rigors of the toughest applications. The lightest, most rugged line of composite fall arrestors are designed with smooth, round edges to increase durability.

Recommended Industries/Use

- Agriculture
- Chemical
- Construction
- Food Services
- Forestry
- Manufacturing
- Mining
- Municipal Services
- Oil and Gas
- Pharmaceutical
- Steel and Metals
- Transportation
- Utilities

Hazards

- Confined Space
- Fall from height

Regulations

- Fully compliant to AS/NZS 1891.3 as a type 2 fall arrest device

Warranty Information

MILLER FALL PROTECTION PRODUCT TOTAL SATISFACTION ASSURANCE At Sperian Protection, we have been providing quality Miller brand fall protection equipment to millions of workers worldwide since 1945. LIMITED LIFETIME WARRANTY BACKED BY OVER 60 YEARS IN THE FALL PROTECTION BUSINESS We sincerely believe that our fall protection equipment is the best in the world. Our products endure rigorous tests to ensure that the fall protection equipment you trust is manufactured to the highest standards. Miller fall protection products are tested to withstand normal wear and tear, but are not indestructible and can be damaged by misuse. Our Limited Lifetime Warranty does not apply to normal wear and tear or abusive treatment of the product. In the unlikely event that you should discover defects in either workmanship or materials, under our Limited Lifetime Warranty, we will repair or replace the product at our expense. If a replacement is necessary and your product is no longer available, a comparable product will be substituted. Should a product issue surface, contact us at 1300 139 166 (Aust customers) or 0800 322 200 (NZ customers) Manufacturing specifications are subject to change without notice.

Specifications

Max Working Load

- 140.62 kg

Ultimate Strength

- 16.01kN

Free Fall Distance

- Max. 609.6 mm

Deceleration Distance

- Max – 1.06m

Arresting Force

- 4kN (approx)

Cable

- Galvanised steel, stainless steel or polyester webbing

Materials

- Nylon, Stainless Steel, aluminum, drop forged steel, bronze.

Literature & Documents

Falcon 1016794 96 Fall Arrestors Webbing AUS NZ 2016

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Fall_Limiters/Self-Retracting_Lifelines/4294998729/1033.aspx



Instructions Miller Falcon - AUS

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Fall_Limiters/Self-Retracting_Lifelines/15831/1033.aspx

1 MILLER FALCON SERIES SELF-RETRACTING LIFELINES OPERATION AND MAINTENANCE MANUAL WARNING: ALL PERSONS USING THIS EQUIPMENT MUST READ AND UNDERSTAND ALL INSTRUCTIONS. FAILURE TO DO SO MAY RESULT IN SERIOUS INJURY OR DEATH. FALCON RETRACTABLE LIFELINES The Miller Falcon Series Retractable Lifelines are self-contained re

Falcon 1011728 Fall Arrestors AUS NZ 2016

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Fall_Limiters/Self-Retracting_Lifelines/4294998728/1033.aspx



Miller Industry Fall Protection Guide Poster - AUS

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/24943/1033.aspx

Industry Fall Protection Guide Post 13 Sperian Protection Australia Pty Ltd 3 Walker St, Braeside, Victoria 3195 Australia
Tel: 1300 139 166 Fax: 1300 362 491 New Zealand Tel: 0800 322 200 www.sperianprotection.com.au POLYESTER CONSTRUCTION HARNESS WEBBING LANYARD ADJUSTABLE LANYARD MILLER ANCHOR GRIPS™ TIE-OFF ADAPTOR

Training & Proper Use

Please refer to product instruction sheets included with the products prior to use.

Additional Information

marketing.australia@sperianprotection.com or ph: 1300 139 166

Technical Support

1300 139 166 (Aust) or 0800 322 200 (NZ)