



Product Family

Miller QuickPick Rescue Kits

Miller QuickPick™ Rescue Kits deliver peace of mind during unexpected, stressful peer-rescue situations. The rescuer can remotely attach the system to the suspended worker while remaining securely anchored on the walking/working surface. All rescue components are contained in one easy-to-store kit with no assembly necessary – only requiring an overhead anchorage.

[Visit MillerFallProtection.com >](http://MillerFallProtection.com)



Product Numbers & Ordering Information

	Product Numbers	Details
	QP/25FT	QuickPick Premium Kit 25-ft. Working Length System; Max. capacity 400-lbs.
	QP/50FT	QuickPick Premium Kit 50-ft. Working Length System; Max. capacity 400-lbs.
	QP/75FT	QuickPick Premium Kit 75-ft. Working Length System; Max. capacity 400-lbs.
	QP/100FT	QuickPick Premium Kit 100-ft. Working Length System; Max. capacity 400-lbs.
	QP-1/25FT	QuickPick Standard Kit 25-ft. Working Length System; Max. capacity 310-lbs.
	QP-1/50FT	QuickPick Standard Kit 50-ft. Working Length System; Max. capacity 310-lbs.

Miller QuickPick Rescue Kits



QP-1/75FT

QuickPick Standard Kit

75-ft. Working Length System; Max. capacity 310-lbs.



QP-1/100FT

QuickPick Standard Kit

100-ft. Working Length System; Max. capacity 310-lbs.



QP-EP

QuickPick Component

12-ft. Rescue Pole with Carabiner Clip, Carabiner, Pigtail, Miller WristBandit™ Tool Lanyard and bag



QP-SC

QuickPick Component

Replacement Carabiner Clip



QP-RHA

QuickPick Component

Rope Control Handle; Max. capacity 400-lbs.

Overview

Key Features

- Out-of-the-bag solution for prompt rescue - no assembly required
- Quickly raise or lower a fallen worker to safety - avoid suspension trauma
- Professional rescue solution - enhances worker safety and corporate rescue plan

Recommended Industries/Use

- Construction
- Manufacturing
- Municipal Services
- Oil and Gas
- Transportation
- Utilities
- Wind Energy

Hazards

- Fall from height

Regulations

-

Warranty Information

We sincerely believe that our fall protection equipment is the best in the world. Our products endure rigorous test to ensure that the fall protection equipment you trust is manufactured to the highest standards. Miller fall protection products are tested to withstand normal wear and tear, but are not indestructible and can be damaged by misuse. Our Limited Lifetime Warranty does not apply to normal wear and tear or abusive treatment of the product. In the unlikely event that you should discover defects in either workmanship or materials, under our Limited Lifetime Warranty, we will repair or replace the product at our expense. If a replacement is necessary and your product is no longer available, a comparable product will be substituted. Should a product issue surface, contact us at 800/873-5242. Manufacturing specifications are subject to change without notice.

Specifications

Specification Sheets

- For a full engineering specification sheet, go to literature and documents

Literature & Documents

Miller QuickPick brochure - US

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Fall_Protection_Kits/4294968369/1033.aspx

Brochure

Miller QuickPick FAQ - US

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Fall_Protection_Kits/4294968370/1033.aspx

FAQ

Miller QuickPick Spec Sheet - US

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Fall_Protection_Kits/4294968371/1033.aspx

Spec Sheet

Miller QuickPick Manual - I319 - US

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Fall_Protection_Kits/4294968372/1033.aspx

I319 Manual

Training & Proper Use

Proper product training and professional fall protection training is recommended. Refer to Product Use Instructions enclosed with products.

Technical Support

Contact Miller Technical Service at 800/873-5242 or 814/423-2118 email: hsptechsupport@honeywell.com