



1014220.31.32-hamaisR1a290







Produktfamilj

Miller Revolution Basic (EUR)

2-point full body harness for use with a fall arrest device and suitable anchorage point.

Miller Logo

Product Numbers &

	1014220	R1 Revolution Basic with DuraFlex Webbing 2-point, standard fixing buckles, size S/M
	1014231	R1 Revolution Basic with DuraFlex Webbing 2-point, standard fixing buckles, size L/XL
	1014232	R1 Revolution Basic with DuraFlex Webbing 2-point, standard fixing buckles, size XXL
	1014233	R1 Revolution Basic with DualTech Webbing 2-point, standard fixing buckles, size S/M
	1014234	R1 Revolution Basic with DualTech Webbing 2-point, standard fixing buckles, size L/XL
	1014235	R1 Revolution Basic with DualTech Webbing 2-point, standard fixing buckles, size XXL

Översikt

Viktigaste egenskaperna

Features :

Made from patented DualTech webbing with shape retention memory or Duraflex®, the R1 Basic Revolution harness is ideal for scaffolding, steel erection, tower building and maintenance thanks to the unique Revolution technology and a multitude of key features. The PivotLink™ connections are located at waist level for a better ergonomic fit when bending

or squatting

Benefits :

PivotLink Connection (patented): This unique rotary design provides greater comfort in bending / mobility. Positioned at waist level to mirror the bending and squatting movements of the worker in construction and maintenance. Provides attachment point for tools and accessories. Made of stainless steel for corrosion resistance.

Self Contained Label Pack (patented): encapsulates labels minimizing damage and loss. Durable, polymer construction for extended service life. Integrated and oversized pull-free lanyard rings

Cam Buckle (patented): Easy, one-hand adjustment / release allows simultaneous adjustment of shoulder straps. Promotes proper snug fit; will not slip or misadjust. Constructed of high-tech polymer, lightweight aluminum and stainless steel materials that resist rust/corrosion.

Web Finales (patented): Clip-on design safely organises webbing after proper adjustment. Constructed of durable, high-impact resistant polymer. Provides positive gripping surface for easy web adjustment.

Integrated Accessory System: Modular attachment design provides connection points for tools & accessories which can be easily attached/removed for greater comfort and convenience. Designed to distribute the weight of accessories across the hips and shoulders for comfort and mobility.

DuraFlex® Webbing : Patented, elastomer webbing specially formulated to stretch with the user's movements so there is no bunching or binding.

DualTech Webbing (patented): Donning made easy with two-sided, contrasting colour webbing and textures: soft grey polyamide webbing on the inside and durable, abrasion resistant polyester webbing on the outside. Webbing engineered with shape retention memory for a more comfortable fit. Unique circular tack provides greater strength, and contrasting colours make inspection easier

Rekommenderade branscher/rekommenderat användningsområde

- Byggindustri

Risker

- Fall från höga höjder

Föreskrifter

- EN 361 - Full Body Harness

Garantiinformation

Our state of the art equipment provides the critical tool for worker protection, combining mobility with unsurpassed comfort.

At our ISO 9001 certified manufacturing facilities in Europe, we ensure that every Miller product is made in accordance with the standards and meets your exacting requirements.

Specifikationer

Webbing Breaking Strength

- > 3000daN

Webbing Width (mm)

- 45mm

Webbing Material

- grey polyamide, 50% black polyester

Webbing Stitching

- Polyamide and polyester

Dorsal D-Ring Breaking Strength

- >5000 daN

Dorsal D-Ring Raw Material

- Zinc plated

Front Anchorage Loops Breaking Strength

- >15kN

Trycksaker & dokument

Miller Revolution Instruction manual - 90014448 (EUR)

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Full_Body_Harness/40873/1033.aspx

user guide

90004212 harness EN 361, 358 (EUR)

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Full_Body_Harness/41640/1033.aspx

Instruction manual

Teknisk support

Miller Techniserv

Phone: +49 (0) 9281/8302-205

Email: techniservnorth.hsp@honeywell.com