









**Produktfamilj**  
**Miller Revolution R4**  
**Harnesses (EUR)**

3-point full body harness for use with a fall arrest device and suitable anchorage point. The robust Miller Revolution harness is ideal for telecoms and utilities thanks to the unique Revolution technology and a multitude of key features.



**Product Numbers &**

|   |         |   |
|---|---------|---|
|  | 1014245 | <b>R4 Revolution Duraflex S/M</b><br>3-point, DuraFlex Webbing, with standard buckles, rotating work-positioning belt, size S/M   |
|  | 1014246 | <b>R4 Revolution Duraflex L/XL</b><br>3-point, DuraFlex Webbing, with standard buckles, rotating work-positioning belt, size L/XL |
|  | 1014247 | <b>R4 Revolution Duraflex XXL</b><br>3-point, DuraFlex Webbing, with standard buckles, rotating work-positioning belt, size XXL   |
|  | 1014248 | <b>R4 Revolution DualTech S/M</b><br>3-point, DualTech Webbing, with standard buckles, rotating work-positioning belt, size S/M   |
|  | 1014249 | <b>R4 Revolution DualTech L/XL</b><br>3-point, DualTech Webbing, with standard buckles, rotating work-positioning belt, size L/XL |
|  | 1014250 | <b>R4 Revolution DualTech XXL</b><br>3-point, DualTech Webbing, with standard buckles, rotating work-positioning belt, size XXL   |

**Översikt**

### Viktigaste egenskaperna

Made from patented elasticated DuraFlex webbing or DualTech webbing, the R4 Basic Revolution 3-pt harness is ideal for telecoms and utilities thanks to the unique Revolution technology and a multitude of key features. The PivotLink™ connections are located at hip level for a smoother movement during ascent and descent. Fitted with a pivoting work-positioning belt.

### Benefit :

**PivotLink Connection (patent pending):** This unique rotary design provides greater comfort in bending / mobility. Positioned at waist level to mirror the bending and squatting movements of the worker in construction and maintenance. Provides attachment point for tools and accessories. Made of stainless steel for corrosion resistance.

**ErgoArmor Back Shield:** This semi-flexible back shield minimizes impact from sharp / heavy snap hooks and self retracting lifelines. The self-adjusting channels conform to a variety of body shapes. The padding conforms to unlimited back contours while allowing superior air flow. A knitted mesh membrane minimizes moisture absorption and maintains an optimal air circulation whilst also helping to position the back D-ring correctly.

**Self Contained Label Pack (patent pending):** encapsulates labels minimizing damage and loss. Durable, polymer construction for extended service life. Integrated and oversized pull-free lanyard rings.

**Cam Buckle (patent pending):** Easy, one-hand adjustment / release allows simultaneous adjustment of shoulder straps. Promotes proper snug fit ; will not slip or misadjust. Constructed of high-tech polymer, lightweight aluminium and stainless steel materials that resist rust/corrosion.

**Web finials (patent pending):** Clip-on design safely organises webbing after proper adjustment. Constructed of durable, high-impact resistant polymer. Provides positive gripping surface for easy web adjustment.

**Integrated Accessory system:** Modular attachment design provides connection points for tools & accessories which can be easily attached/removed for greater comfort and convenience. Designed to distribute the weight of accessories across the hips and shoulders for comfort and mobility.

**DuraFlex Webbing:** Patented, elastomer webbing specially formulated to stretch with the user's movements so there is no bunching or binding.

**DualTech Webbing (patented) :** Donning made easy with two-sided, contrasting colour webbing and textures: soft grey polyamide webbing on the inside and durable, abrasion resistant polyester webbing on the outside. Webbing engineered with shape retention memory for a more comfortable fit. Unique circular tack provides greater strength, and contrasting colours make inspection easier.

**Pivoting work positioning belt** for greater freedom of movement and reach.

### Rekommenderade branscher/rekommenderat användningsområde

- Vatten och energi

### Risker

- Fall från höga höjder

### Föreskrifter

- All Miller harnesses are CE certified and comply with EN 361 and, where necessary, with EN 358

### Garantiinformation

Our state of the art equipment provides the critical tool for worker protection, combining mobility with unsurpassed comfort.

At our ISO 9001 certified manufacturing facilities in Europe, we ensure that every Miller product is made in accordance with the standards and meets your exacting requirements.

## Trycksaker & dokument

Miller Revolution Instruction manual - 90014448 (EUR)

[http://www.honeywellsafety.com/Supplementary/Documents\\_and\\_Downloads/Fall\\_Protection/Full\\_Body\\_Harness/40873/1033.aspx](http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Full_Body_Harness/40873/1033.aspx)

Instruction manual

90004212 harness EN 361, 358 (EUR)

[http://www.honeywellsafety.com/Supplementary/Documents\\_and\\_Downloads/Fall\\_Protection/Full\\_Body\\_Harness/41640/1033.aspx](http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Full_Body_Harness/41640/1033.aspx)

Instruction manual

## Teknisk support

**Miller Techniserv**

Phone: +49 (0) 9281/8302-205

Email: [techniservnorth.hsp@honeywell.com](mailto:techniservnorth.hsp@honeywell.com)

© Honeywell International Inc.