



**Product Family**


**Muck Chore Cool Safety Toe**

XpressCool™ lining keeps feet cooler and comfortable in temperatures sub freezing to 35° C, 4mm CR flex-foam bootie, 100% waterproof, steel toe, Spandura® coating for added protection, vibram outsole, etc® sock liner



by Honeywell

**Product Numbers & Ordering Information**

|   | Product Numbers | Details   |
|---|-----------------|---|
|  | CSCT-STL        | <b>Chore Cool Safety Toe</b><br>XpressCool lining, 4mm CR flex-foam bootie, steel toe, vibram outsole<br>Men's 5-16 Women's 6-13 (unisex) |

**Packaging Information**

1 pair per box, 4 boxes per case

**Overview**

**Key Features**

- New comfortable XpressCool™ lining material keeps your feet cool and dry in warm weather
- 4mm CR flex-foam bootie with four way stretch nylon
- 100% waterproof, lightweight and flexible
- Steel toe impact protection
- Steel shank for additional arch support
- Spandura® added to the exterior of the neoprene for added protection against wear and abrasion.
- Vibram outsole for improved durability and performance
- etc® sockliner lining to reduce friction and heat build up
- Upper is triple reinforced in the toe area and quadruple reinforced in the heel area
- Approved to AS/NZS 2210.3:2009 Occupational protective footwear

**Recommended Industries/Use**

- Agriculture
- Municipal Services
- Steel and Metals
- Transportation
- Utilities

**Hazards**

- Slip
- Splash
- Thermal

**Regulations**

- AS/NZS 2210.3:2009 - Occupational protective footwear

## Warranty Information

### LIMITED WARRANTY

Honeywell products are covered by and subject to the terms of the Honeywell Safety Products Limited Warranty that is printed in our published price list. The Honeywell Safety Products Limited Warranty is the only written warranty of any force and effect, and all other written warranties are disclaimed in their entirety. In no event shall Honeywell Safety Products or any of its authorized dealers be liable for any damages in excess of the purchase price of the relevant product. This limitation applies to damages of any kind, including but not limited to direct or indirect damages or other special, incidental, exemplary or consequential damages, whether arising out of the use of, or inability to use the product, even if we or any of our authorized dealers has been advised of the possibility of the damages or any claim by any other party.

## Specifications

### Material

- Neoprene rubber / CR flex-foam bootie

### Height

- 40 cm

### Steel toe

- Yes

### Metatarsal Guard

- No

### Steel midsole

- No

### Waterproof

- Yes

### Outsole

- Vibram

### Comfort Range

- Sub Freezing to 35° C

### AS/NZS 2210.3:2009

- Meets

## Photos & Images

### CSCT-STL\_Chore Cool ST

<http://www.honeywellsafety.com/assets/0/324/1042/62a1e66e-fea6-4015-877d-8b00c8af61b3.jpg>

Chore Cool Safety Toe

## Literature & Documents

### Chore Cool Safety Toe

[http://www.honeywellsafety.com/Supplementary/Documents\\_and\\_Downloads/Footwear/4294998868/1033.aspx](http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Footwear/4294998868/1033.aspx)

Chore Cool Safety Toe Product Description Featuring XpressCool™ lining and a Vibram outsole, the Chore Cool steel toe boot is approved to AS/NZS 2210.3:2009 standards. Product Features + Rugged Spandura upper + XpressCool™ lining + Vibram outsole + Steel shank + 4mm CR flex-foam + Steel toe + Approved to AS/NZS 2210.3:

### Muck Boot Catalogue AUST NZ 2015

[http://www.honeywellsafety.com/Supplementary/Documents\\_and\\_Downloads/Footwear/4294993154/1033.aspx](http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Footwear/4294993154/1033.aspx)

CATALOGUE Australia/New Zealand 2015/16 EXPECT THE UNEXPECTED The Original Muck Boot Company™ store

## Muck Chore Cool Safety Toe AS/NZS

began in 1999 with the sole purpose of building the most comfortable, high performance footwear on the market. The need for a more comfortable boot for use in messy and tough conditions led to the design of The

### Technical Support

Contact Honeywell Technical Support at 800.873.5242 (Monday -Friday 8:00 am to 7:00 pm EST) or email at [hsptechsupport@honeywell.com](mailto:hsptechsupport@honeywell.com)

© Honeywell International Inc.