



Produktfamilj  
**ARACUT® SLEEVES**

Knitted Kevlar® sleeves. Forearm protection. Cut resistant (Level 3 to EN 388) and heat resistant (contact heat).

**Honeywell**

**Product Numbers &**

	4150064	<b>ARACUT® SLEEVES 14.</b> 2 ply Kevlar® knitted sleeve. Thumbhole. Length : 35 cm. (Unique size)
	4150055	<b>ARACUT® SLEEVE II</b> 2 ply Kevlar® knitted sleeve. Thumbhole. Split cowhide leather reinforcement. Length : 36 cm. (Unique size)
	4150058	<b>ARMCUT BLACK 14</b> 2 ply Kevlar® knitted sleeve. Thumbhole. Black color. Length : 36 cm. (Unique size)
	4150057	<b>ARMCUT 14 BT</b> 2 ply Kevlar® knitted sleeve. Thumbhole + mitten. Length : 36 cm. (Unique size)
	4402835	<b>ARACUT® SLEEVES</b> 2 ply Kevlar® knitted sleeve. Thumbhole. Length : 45 cm. (Unique size)

**Ytterligare information**

For minimum order quantities, please contact our local office. To access the test data of each reference, please refer to the technical specification documents located in each SKU.

**Översikt**

**Viktigaste egenskaperna**

The Aracut® sleeves line features mediumweight sleeves made of Kevlar®.

**COMFORT**

The knitting technique gives the sleeves perfect support, limits the penetration of dirt and offers a good touch. The thumbhole brings a better support to the sleeves.

**RESISTANCE**

The Kevlar® fibre offers good cutting resistance and outstanding protection against thermal hazards in a dry environment. The dual thickness improves the cuff's mechanical and thermal performance.

**Rekommenderade branscher/rekommenderat användningsområde**

- Byggindustri
- Tillverkning
- Stål och metaller

**Risker**

- Nötning
- Skär/sticksår
- Extrema miljöer
- Stänk

**Föreskrifter**

- EN 420-2003 - General requirements
- EN 388-2003 - Mechanical risks
- EN 407-2004 - Thermal risks

**Tidigare varumärke**

Perfect Fit

**Garantiinformation**

Honeywell Safety Products warrants that its Protective Gloves are free from defects in material and workmanship. This limited warranty does not cover any product or component found to have been altered, misused, abused, tampered with or improperly maintained or to have deteriorated due to aging of any component made of rubber or any other elastomer. The limited warranty does not cover any damage, loss or expense due to damage caused by accident, abuse, improper maintenance, use or misuse of the product.

## Specifikationer

**Materials**

- Kevlar®

**Gauge**

- Medium (10)

**Resistance to heat contact**

- 100°C

**Maintenance / cleaning**

- This article can be cleaned. For cleaning instructions, please contact Honeywell Safety Products

**Storage information**

- Keep gloves in their original packaging in a cool, dry, dust-free, away from sources of heat and direct light.

## Training & Proper Use

Do not use these products against chemical risks or high thermal risks (more than 100°C).

## Ytterligare information

User instructions n° 106.

## Teknisk support

**UK:** [uksales@honeywell.com](mailto:uksales@honeywell.com)

**Export:** [info-export.hsp@honeywell.com](mailto:info-export.hsp@honeywell.com)

## ARACUT® SLEEVES

**France:** info-france.hsp@honeywell.com

**Germany:** info-germany.hsp@honeywell.com

**Italy:** info-italia.hsp@honeywell.com

**Spain:** info-spain.hsp@honeywell.com

**Nordics:** info-nordic.hsp@honeywell.com

**Benelux:** info-benelux.hsp@honeywell.com

**Poland:** info-poland.hsp@honeywell.com

**Hungary:** info-hungary.hsp@honeywell.com

**Russia:** info-russia.hsp@honeywell.com

© Honeywell International Inc.