




Product Family

NorthFlex Light Task™ ESD

Anti-Static conductive gloves. Lightweight, 15 gauge liner made of copper based Thunderon® with low surface resistivity of $<4.0 \times 10^4 \text{ } \Omega/\text{sq}$ when tested in accordance with EN 1149. Polyurethane coating on palm and fingertips



Product Numbers & Ordering Information

Product Numbers	Details
 NF15ESD	Light Task ESD - Anti-Static Conductive Gloves Light Task ESD™ - Electro static conductive white nylon/copper seamless liner - white polyurethane palm coating - knit wrist - sizes 6XS, 7S, 8M, 9L, 10XL, 11XXL

Packaging Information

12 pair per pack, 144 pair per case

Overview

Key Features

Anti-Static conductive gloves. Lightweight, 15 gauge liner made of copper based Thunderon® with low surface resistivity of $<4.0 \times 10^4 \text{ } \Omega/\text{sq}$ when tested in accordance with EN 1149. Polyurethane coating on palm and fingertips

Recommended Industries/Use

- Manufacturing
- Municipal Services
- Utilities

Hazards

- Abrasion

Regulations

- ANSI/ISEA 105 - ASTM D3389-05 Abrasion Test
- ANSI/ISEA 105 - ASTM F1790-97 Cut Test
- EN388 - Mechanical risks from abrasion, cut, tear and puncture
- EN420 - General Requirements - This standard defines the general requirements for protective gloves in terms of construction, fitness of purpose and safety.
- OSHA Standard -29 CFR 1915.157 - The employer shall ensure that each affected employee uses appropriate hand protection and other protective clothing where there is exposure to hazards such as skin absorption of harmful substances, severe cuts or lacerations, severe abrasions, punctures, chemical burns, thermal burns, harmful temperature extremes, and sharp objects.

Warranty Information

LIMITED WARRANTY. Except for any warranty for a particular product or part specifically stated in our product literature, we warrant all goods sold under this agreement against defects in materials and workmanship for one year from shipment.

In the event of such defects, we will, at our sole option and as your exclusive remedy, repair or replace the defective product without charge, or refund the price you have paid. In order for this warranty to be effective, you must notify us within 15 days of discovery of the defect. you must return the defective product to us within the warranty period, properly packaged and with insurance and transportation costs prepaid. We will reship the product to you at our expense in the United States. Products will conform to Honeywell published specifications if properly used and maintained and will be free from defects in materials and/or workmanship. no changes to Honeywell published specifications will be valid without Honeywell written consent. This warranty does not cover defects which we determine are because of accident, alteration, modification, negligence, misuse, abuse failure to perform adequate maintenance, or normal wear and tear.

Specifications

Ambidextrous or Hand Specific

- Hand specific

Coating

- Polyurethane

Coating Color

- Gray

Coating Pattern

- Full palm, and fingers

Construction

- Seamless knit, dipped

Cuff

- Knit

Gauge / mil

- 15 ga.

Glove Type

- General purpose

Length

- NA

Liner

- NA

Material

- Thunderon®

Material Color

- Gray

Overedge

- Green (XS), Red (S), Blue (M), Yellow (L), White (XL), Orange (XXL)

Supported or Unsupported

- NA

Surface Finish

- Sand finish

Additional Information

Low surface resistivity of $< 4.0 \times 10^4 \text{ ?/sq}$ (when tested in accordance with EN 1149) which can prevent damaging electrostatic charge from accumulating

Technical Support

Technical Support is available Monday through Friday, 8:00 AM to 7:00 PM EST. 1.800.873.5242
hsptechsupport@honeywell.com

