



Produktfamilj PERFECT CUTTING®

Knitted Dyneema® gloves. Cut resistant (Level 3 to EN 388). PU or nitrile coating. High precision work.

Honeywell

Product Numbers &



2332245

Perfect Cutting® Diamond

Dyneema® Diamond/ Lycra® lightweight knitted. White color. Black PU coating on palm. (Sizes from 7 to 11)



2332243

Perfect Cutting® Diamond PU Salt&Pepper

Dyneema® Diamond/ Lycra® lightweight knitted. White color. Black PU coating on palm. (Sizes 7 to 11)



2332247

Perfect Cutting® Diamond PU Long

Dyneema diamond and polyamide lightweight knitted. Grey PU coating on palm. Long cuff : 30 cm length (Sizes 7 to 11)



2332214

Perfect Cutting® Diamond Nit

Dyneema diamond and polyamide lightweight knitted. Black nitrile foam coating on palm.(Sizes 7 to 11)

Ytterligare information

For minimum order quantities, please contact our local office. To access the test data of each reference, please refer to the technical specification documents located in each SKU.

Översikt

Viktigaste egenskaperna

The Perfect Cutting® line features seamless and lightweight Dyneema® and polyamide liners with PU or nitrile coating.

COMFORT

The tight knit gives the gloves perfect support, limits the penetration of dirt and offers a good touch. The ventilated back optimise their breathability. The cool Dyneema® touch gives an added sensation of comfort.

RESISTANCE

The Dyneema® and polyamide thread provides outstanding properties against cuts. The polyurethane/nitrile coating at the palm and fingertips provides outstanding abrasion resistance.

HYGIENE

Available in various color according to the work environment.

Rekommenderade branscher/rekommenderat användningsområde

- Jordbruk
- Byggindustri
- Tillverkning
- Kommunala tjänster
- Läkemedel
- Stål och metaller
- Transport
- Vindkraft

Risker

- Nötning
- Skär/sticksår
- Extrema miljöer

Föreskrifter

- EN 420-2003 - General requirements
- EN 388-2003 - Mechanical risks

Tidigare varumärke

Perfect Fit

Garantiinformation

Honeywell Safety Products warrants that it's Honeywell Protective Gloves are free from defects in material and workmanship. This limited warranty does not cover any product or component found to have been altered, misused, abused, tampered with or improperly maintained or to have deteriorated due to aging of any component made of rubber or any other elastomer. The limited warranty does not cover any damage, loss or expense due to damage caused by accident, abuse, improper maintenance, use or misuse of the product.

Specifikationer

Materials

- Dyneema®, polyamide

Coating

- PU or Nitrile

Gauge

- Light (13)

Maintenance / cleaning

- This article can be cleaned. For cleaning instructions, please contact Honeywell Safety Products

Storage information

- Keep gloves in their original packaging in a cool, dry, dust-free, away from sources of heat and direct light.

Training & Proper Use

Do not use these products against thermal or chemical risks.

Ytterligare information

User instructions n° 102

Teknisk support

UK: uksales@honeywell.com

Export: info-export.hsp@honeywell.com

France: info-france.hsp@honeywell.com

Germany: info-germany.hsp@honeywell.com

Italy: info-italia.hsp@honeywell.com

Spain: info-spain.hsp@honeywell.com

Nordics: info-nordic.hsp@honeywell.com
Benelux: info-benelux.hsp@honeywell.com
Poland: info-poland.hsp@honeywell.com
Hungary: info-hungary.hsp@honeywell.com
Russia: info-russia.hsp@honeywell.com

© Honeywell International Inc.