



Produktfamilj  
**PETRONYL - MAINBIS -  
 MAINGRIP**

Reusable PVC dipped gloves for petrochemical industry.  
 Category 3 products (EN 374-3).

**Honeywell**

**Product Numbers &**



2008241

**PETRONYL 40G**

Green PVC. Cotton liner. Rough finish. Thickness : 1,2/1,4mm. Length : 40 cm. (Sizes 7/8, 9/10, 11/12)



2008244

**PETRONYL 40GR**

Green PVC. Cotton liner. Rough finish. Reinforced on palm, back and thumb. Thickness : 1,2/1,4mm. Length : 40 cm. (Sizes 7/8, 9/10, 11/12)



2008252

**PETRONYL ANTISTATIC**

Green antistatic PVC. Cotton liner. Rough finish. Reinforced on palm, back and thumb. Thickness : 1,2/1,4mm. Length : 27 cm. (Sizes 7/8, 9/10, 11/12)



2007140

**SUPERGAN 40**

Blue PVC. Cotton liner. Smooth finish. Thickness : 1,2/1,4mm. Length : 40cm. (Sizes 7/8, 9/10, 11/12)



2007330

**MAINBIS 27**

Red PVC. Cotton liner. Smooth finish. Thickness : 1,2/1,4mm. Length : 27cm. (Sizes 7/8, 9/10, 11/12)



2007341

**MAINBIS 40G**

Red PVC. Cotton liner. Rough finish. Thickness : 1,2/1,4mm. Length : 40cm. (Sizes 9/10, 11/12)



2009038

**MAINGRIP 27GR**

Yellow PVC. Cotton liner. Rough finish. Reinforced on palm, back and thumb. Thickness : 1,2/1,4mm. Length : 27cm. (Sizes 7/8, 9/10, 11/12)

PETRONYL - MAINBIS - MAINGRIP

	2006330	<b>REDGRIP KN 27G</b> Red PVC. Cotton knitted liner. Rough finish. Thickness : 1,4mm. Length : 27cm. (Sizes 8 to 10)
	2006332	<b>REDGRIP KN 32G</b> Red PVC. Cotton knitted liner. Rough finish. Thickness : 1,4mm. Length : 32cm. (Sizes 8 to 10)
	R30X	<b>Redcote Plus</b> Handling in an aggressive environment: oils, greases, chemicals, hydrocarbons. Chemical and petrochemical industry.
	R50X	<b>Redcote Plus</b> Handling in an aggressive environment: oils, greases, chemicals, hydrocarbons. Chemical and petrochemical industry.
	R60X	<b>Redcote Plus</b> Handling in an aggressive environment: oils, greases, chemicals, hydrocarbons. Chemical and petrochemical industry.
	T1412WG	<b>Deckhand</b> Handling in an aggressive environment: oils, greases, chemicals, hydrocarbons. Chemical and petrochemical industry.
	T1612WG	<b>ProChem</b> Handling in an aggressive environment: oils, greases, chemicals, hydrocarbons. Chemical and petrochemical industry.
	830FWG	<b>Trawler King</b> Handling in an aggressive environment: oils, greases, chemicals, hydrocarbons. Chemical and petrochemical industry.
	850FWG	<b>Trawler King</b> Handling in an aggressive environment: oils, greases, chemicals, hydrocarbons. Chemical and petrochemical industry.
	860FWG	<b>Trawler King</b> Handling in an aggressive environment: oils, greases, chemicals, hydrocarbons. Chemical and petrochemical industry.

**Ytterligare information**

For minimum order quantities, please contact our local office. To access the test data of each reference, please refer to the technical specification documents located in each SKU.

**Översikt**

**Viktigaste egenskaperna**

The Petronyl/Mainbis/Maingrip lines feature high resistant PVC gloves.

**COMFORT**

The cotton interlock lining strengthens the gloves' mechanical performance while absorbing hand perspiration for added comfort. The smooth finish offers an excellent touch and increases dexterity. The rough powdered finish considerably improves the glove's grip. The gloves' articulated fingers offer superior comfort and reduce effort in cases of extended use.

**RESISTANCE**

The special PVC composition has been tailored for multi-purpose and repetitive handling in an oily atmosphere.

## SAFETY

As a result of its superior quality PVC and being part of PPE Class III, it ensures excellent follow-up on quality. The cuff helps to protect the forearm.

## Rekommenderade branscher/rekommenderat användningsområde

- Kemi
- Gruvdrift
- Kommunala tjänster
- Olja och gas
- Stål och metaller
- Transport

## Risker

- Kemi
- Extrema miljöer

## Föreskrifter

- EN 420-2003 - General requirements
- EN388-2003 - Mechanical risks
- EN 374-3 - Chemical risks Cat 3 (Irreversible risks)

## Tidigare varumärke

Sofraf

## Garantiinformation

Honeywell Safety Products warrants that it's Honeywell Protective Gloves are free from defects in material and workmanship. This limited warranty does not cover any product or component found to have been altered, misused, abused, tampered with or improperly maintained or to have deteriorated due to aging of any component made of rubber or any other elastomer. The limited warranty does not cover any damage, loss or expense due to damage caused by accident, abuse, improper maintenance, use or misuse of the product.

## Specifikationer

### Materials

- PVC double dipped

### Lining

- Cotton

### Finishing

- Rough or smooth

### Thickness

- Between 1,1mm and 1,4 mm

### Maintenance / cleaning

- In order to keep its properties, this article should not be cleaned.

### Storage information

- Keep gloves in their original packaging in a cool, dry, dust-free, away from sources of heat and direct light.

## Training & Proper Use

Do not use against Thermal risks.

## Ytterligare information

User instructions n° 104.

## Teknisk support

**UK:** [uksales@honeywell.com](mailto:uksales@honeywell.com)

**Export:** [info-export.hsp@honeywell.com](mailto:info-export.hsp@honeywell.com)

**France:** [info-france.hsp@honeywell.com](mailto:info-france.hsp@honeywell.com)

**Germany:** [info-germany.hsp@honeywell.com](mailto:info-germany.hsp@honeywell.com)

**Italy:** [info-italia.hsp@honeywell.com](mailto:info-italia.hsp@honeywell.com)

**Spain:** info-spain.hsp@honeywell.com  
**Nordics:** info-nordic.hsp@honeywell.com  
**Benelux:** info-benelux.hsp@honeywell.com  
**Poland:** info-poland.hsp@honeywell.com  
**Hungary:** info-hungary.hsp@honeywell.com  
**Russia:** info-russia.hsp@honeywell.com