



**Product Family**





**AirSoft Multiple-Use Earplug**

Advanced air pocket design, optimized for comfort

[Learn more about our products at howardleight.com](http://howardleight.com)



**Product Numbers & Ordering Information**

Product Numbers	Details
 AS-30R	<b>AirSoft - red polycord</b> SLC80 26dB Class 5. Approved to AS/NZS 1270:2002.
 DPAS-30R	<b>AirSoft - red polycord</b> SLC80 26dB Class 5. Approved to AS/NZS 1270:2002.
 AS-1	<b>AirSoft - uncorded</b> SLC80 26dB Class 5. Approved to AS/NZS 1270:2002.
 DPAS-30W	<b>AirSoft - white nylon cord</b> SLC80 26dB Class 5. Approved to AS/NZS 1270:2002.

**Overview**

**Key Features**

- Advanced air pocket design features internal noise-blocking fins
- Four-flange profile creates better seal in the ear canal
- Less pressure in the ear canal eliminates that “plugged up” feeling
- Rounded flanges, tapered shape fits better in the ear canal
- Firm stem facilitates easy insertion and removal
- Outstanding noise-blocking protection

**Recommended Industries/Use**

- Agriculture
- Chemical
- Construction
- Food Services
- Forestry
- Government

## AirSoft Multiple-Use Earplug

**Hazards** • Enforcement • Manufacturing • Medical • Military • Mining • Municipal Services • Oil and Gas • Pharmaceutical • Steel and Metals • Transportation • Utilities • Welding • Noise • Nuclear

### Regulations

- 29 CFR 1910.95 - OSHA Occupational Noise Exposure (US)
- ANSI S3.19-1974 - Attenuation Test Protocol (US)
- Part II, (R.S.C. 1985, c. L-2) - Occupational Noise Standard (CAN)
- Z94.2-1994 - Attenuation Test Protocol (CAN)
- 2003/10/EC - EU Hearing Directive
- 89/686/EEC - European Directive/PPE
- Category II - EC Category PPE
- EN 352-2:1993 - EU Standards
- NOHSC: 1007 (2000) - National Standard for Occupational Noise (AUS/NZ)
- AS/NZS 1270:2002 - Attenuation Test Protocol (AUS/NZ)
- NR 15 - Security and Health of Work, Annexes 1 and 2, n°3.214/1978 - Occupational Noise Regulations (BR)
- ANSI S12.6/1997 - Method B - Attenuation Test Protocol (BR)
- 9001:2008 - ISO

### Historical Brand

Howard Leight

### Warranty Information

There is a one year guarantee against defects in material and workmanship. The guarantee does not cover damage caused by misuse, abuse or unauthorized modifications.

## Specifications

### Color

- Blue

### Shape

- 4 Flange

### Material

- TPE

### Packaging Options

- Polybag, Reusable Case

### Cord Options

- Uncorded, Red Polycord, White Nylon Cord

### NRR

- 27

### Canada Class

- A

### SNR

- 30

### SLC80

- 26 dB / Class 5

### EU Certifications

- European Directives – 89/686/EEC
- EC Category PPE – Category II
- Standards – EN 352-2:1993
- EC Certification Number – EC152
- EC Attestation Number – 152



## AirSoft Multiple-Use Earplug

6. Acoustical Check – In a noisy environment, with earplugs inserted, cup your hands over your ears and release. Earplugs should block enough noise so that covering your ears with your hands should not result in a significant noise difference.

### Additional Information

#### CARE + MAINTENANCE

- INSPECT - Prior to fitting, examine your earplugs for dirt, damage, deformation or extreme hardness. Discard immediately if compromised.
- CLEAN - Wash Multiple-Use earplugs with mild soap and warm water only. Pat dry with a towel and store in a case when not in use. Do not treat with any other substances, as the earplug may degrade and compromise use.
- HYGIENE - With proper maintenance, Multiple-Use earplugs can last for 2-4 weeks.

#### RELATED PRODUCTS

© Honeywell International Inc.