



## Produktfamilj Multisafe Comfort

The Multisafe Comfort range is designed to protect users against electrostatic hazards, chemical, heat and flames hazards.

# Honeywell

### Product Numbers &



1415130

#### Multisafe Comfort Jacket

Shirt collar. Press-stud fastening and double-flap (inside and outside). Semi-elasticated wrist adjustment. Waist with elasticated sides. 4 patch pockets: 2 breast pockets and 2 lower pockets with flap and press-stud. Retro-reflective label with standard pictograms, on the lower right-hand side. Jacket in 93% Multisafe Comfort, 5% Kevlar®, 2% antistatic fibre, 165 g/m<sup>2</sup>. Size: XS to XXXL. EN ISO 11612:2008 (A1-B1-C1), EN 1149-5:2008, EN 13034:2009 (Type 6).



1415140

#### Multisafe Comfort Jacket

Shirt collar. Press-stud fastening and double-flap (inside and outside). Semi-elasticated wrist adjustment. Waist with elasticated sides. 4 patch pockets: 2 breast pockets and 2 lower pockets with flap and press-stud. Retro-reflective label with standard pictograms, on the lower right-hand side. Jacket in 93% Multisafe Comfort, 5% Kevlar®, 2% antistatic fibre, 220 g/m<sup>2</sup>. Size: XS to XXXL. EN ISO 11612:2009 (A1-B1-C1-F1), EN 1149-5:2008, EN 13034:2009 (Type 6).



1415134

#### Multisafe Comfort Coverall

Shirt collar. Two-way zip fastening with inside flap and an outside flap with press-studs. Semi-elasticated wrist adjustment and elasticated waist. 4 pockets: 2 slanted waist pockets with flap and 2 patch pockets: 1 left breast pocket and 1 side on the right knee with flap and press-stud. Straight leg. Retro-reflective label with standard pictograms, on the lower right-hand side. Shirt collar. Press-stud fastening and double-flap (inside and outside). Semi-elasticated wrist adjustment. Waist with elasticated sides. 4 patch pockets: 2 breast pockets and 2 lower pockets with flap and press-stud. Retro-reflective label with standard pictograms, on the lower right-hand side. Coverall in 93% Multisafe Comfort, 5% Kevlar®, 2% antistatic fibre, 165 g/m<sup>2</sup>. Size: XS to XXXL. EN ISO 11612:2008 (A1-B1-C1), EN 1149-5:2008, EN 13034:2009 (Type 6).



1415136

**Multisafe Comfort Coverall**

Shirt collar. Two-way zip fastening with inside flap and an outside flap with press-studs. Semi-elasticated wrist adjustment and elasticated waist. 4 pockets: 2 slanted waist pockets with flap and 2 patch pockets: 1 left breastpocket and 1 side on the right knee with flap and press-stud. Straight leg. Retro-reflective label with standard pictograms, on the lower right-hand side. Shirt collar. Press-stud fastening and double-flap (inside and outside). Semi-elasticated wrist adjustment. Waist with elasticated sides. 4 patch pockets: 2 breast pockets and 2 lower pockets with flap and press-stud. Retro-reflective label with standard pictograms, on the lower right-hand side. Coverall in 93% Multisafe Comfort, 5% Kevlar®, 2% antistatic fibre, 220 g/m<sup>2</sup>. Size: XS to XXXL. EN ISO 11612:2009 (A1-B1-C1-F1), EN 1149-5:2008, EN 13034:2009 (Type 6).



1415131

**Multisafe Comfort Pants**

Zip fastening with flap and press-stud. Belt loops and side-elasticated waist. 4 pockets: 2 slanted waist pockets with flap and 2 patch pockets: 1 at back on the right-hand side, and 1 side on the left knee, with flap and press-stud. Straight leg. Retro-reflective label with standard pictograms, on the left leg. Pants in 93% Multisafe Comfort, 5% Kevlar®, 2% antistatic fibre, 165 g/m<sup>2</sup>. Size: XS to XXXL. EN ISO 11612:2008 (A1-B1-C1), EN 1149-5:2008, EN 13034:2009 (Type 6).



1415141

**Multisafe Comfort Pants**

Zip fastening with flap and press-stud. Belt loops and side-elasticated waist. 4 pockets: 2 slanted waist pockets with flap and 2 patch pockets: 1 at back on the right-hand side, and 1 side on the left knee, with flap and press-stud. Straight leg. Retro-reflective label with standard pictograms, on the left leg. Pants in 93% Multisafe Comfort, 5% Kevlar®, 2% antistatic fibre, 220 g/m<sup>2</sup>. Size: XS to XXXL. EN ISO 11612:2009 (A1-B1-C1-F1), EN 1149-5:2008, EN 13034:2009 (Type 6).

## Översikt

**Viktigaste egenskaperna**

An exclusive combination of Multisafe Comfort and Kevlar® fibres gives Multisafe Comfort clothing not only excellent heat protection but also added abrasion, tear and chemical resistance. Both resistant and lightweight, Multisafe Comfort provides a safe and comfortable workwear solution.

**Rekommenderade branscher/rekommenderat användningsområde**

- Kemi
- Olja och gas
- Vindkraft

**Risker**

- Kemi
- Värme

**Föreskrifter**

- EN ISO 11612:2008 (A1-B1-C1) - Heat and flame protection clothing
- EN 1149-5:2008 - Electrostatic properties
- EN 13034:2009 (Type 6) - Protective clothing offering limited protection against liquid chemicals

**Garantiinformation**

The garments indicated in this informative note are NOT suitable for use in case of fire (for ex.: firefighters). Furthermore, they are NOT suitable for risks resulting from: heat and/or big fires, immediately dangerous chemical products, electric risks and for all the other uses not mentioned in the informative note.

## Specifikationer

**Composition**

- 93% Multisafe Comfort, 5% Kevlar®, 2% antistatic fibre with fluorocarbon treatment.

**Performances**

## Multisafe Comfort

- EN ISO 11612:2008 (A1-B1-C1): Heat and flame protection clothing. EN 1149-5:2008: Electrostatic properties. EN 13034:2009 (Type 6): Protective clothing offering limited protection against liquid chemicals.

### Life Cycle

- Mechanical washing at 60 °C. Bleach not allowed. Machine dry at moderate temperatures. Iron: temperature max at 150 °C. Dry cleaning with perchlorideethylene

### Storage information

- Keep equipment in the original packaging in a cool and dry place, not dusty, far from heat sources and far from direct light. Carefully keep the instructions below that appear on the label of the equipment for maintenance purposes.

## Foton & bilder

1415134-115136 Main2

<http://www.honeywellsafety.com/assets/0/324/1016/1020/0001e15d-9604-43d8-b8e6-33efaa9d3426.jpg>

## Training & Proper Use

Instruction notice provided with product and available on request.

## Teknisk support

info-export.hsp@honeywell.com  
info-benelux.hsp@honeywell.com  
info-spain.hsp@honeywell.com