

Honeywell
THE POWER OF **CONNECTED**

Hearing Protection

Howard Leight™ Cap-Mounted Earmuffs

Howard Leight and North®. A unified solution.



Integrated Protection

Howard Leight Cap-Mounted Earmuffs

Honeywell has expanded the Noise-Blocking Earmuff product line to include Howard Leight Cap-Mounted Earmuffs to work with North® Hard Hats and Face shields. This expansion will greatly benefit users as the earmuffs have been engineered to seamlessly integrate with hard hat (now including Full Brim) and face shield to provide an effective system for worker head and hearing protection.

Hard Hat Clip

Integral adapter snaps into North Full Brim Hard Hat

Face shield slot

Designed specifically for North face shield visors for full brim hard hats



A49, A119 & N20
compatible

Extended Fork Design

Designed to snap earmuff into place specifically for full brim hard hats

Face Shield Slot

New design allows for attachment of North Face shield visors for complete integrated protection on the job

Hard Hat Slot Clip

Easily and securely attaches earmuffs to several models of North Hard Hats



Leightning®
EM7206-HL

Fork Design

Simply press down on the fork to snap earmuffs into place

Colors

Same classic colors for both models

Howard Leight Leightning® Earmuffs

Maximum protection, contemporary design

Robust steel construction withstands demanding use, especially in tough environments

Features patented Air Flow Control™ technology for optimal attenuation

Snap-in ear cushions make replacement quick and easy



Leightning® EM7206-HL (NRR 27)
EM7209-HL (NRR 26)

Leightning® L3H

For use with North Hard Hats and Face shields

Same attenuation as North Intruder cap-mounted earmuff

Sleek design; lower profile cups attract less dirt for better hygiene

Easy height adjustment provides a better fit for greater wearer comfort

Ear cups snap in place during use and swing back when not in use

Howard Leight Thunder® Earmuffs

Top-of-the-line protection and comfort

Dielectric construction suitable for all workplaces, especially electrical environments

Features patented Air Flow Control™ technology for optimal attenuation

Snap-in ear cushions make replacement quick and easy

Quick-Click height adjustment remains fixed during wear



Thunder® EM2177-HL (Red, NRR 23)
EM4157-HL (Blue, NRR 23)

Thunder® T1H

For use with North Hard Hats and Face shields

Higher attenuation rating than North Mustang and Hornet cap-mounted earmuffs


Sleek design; lower profile cups attract less dirt for better hygiene

Easy height adjustment provides a better fit for greater wearer comfort

Ear cups snap in place during use and swing back when not in use

ASSEMBLY IS A SNAP!

- A. Push earmuff clips into slots on hard hat
- B. Push arms of face shield bracket through slots in earmuff mount
- C1. Leightning L3H style: push on earmuff forks until cups **snap** into place
- C2. Thunder T1H styles: push on earmuff cups until they **snap** into place



Integrated Protection



Leightning® L3H

For use with North Hard Hats
and Face shields



Thunder® T1H

For use with North Hard Hats
and Face shields



*When not in use, earmuffs turn back
and stay in place when not worn.*

HOWARD
LEIGHT

NORTH

Howard Leight Cap Mounted Earmuffs

Product	SKU	Color	NRR	Canada Class	Hygiene Kit	Case Qty
Leightning L3H Earmuff	EM7209-HL	White	26	A(L)	1012000	20
Leightning L3H Earmuff	EM7206-HL	White	27	A(L)	1012000	20
Thunder T1H Earmuff	EM2177-HL	Red	23	A(L)	1010974	10
Thunder T1H Earmuff	EM4157-HL	Blue	23	A(L)	1010974	10

NEW Howard Leight Cap Mounted Earmuffs work together with these North Hard Hats and Face Shields:

Standard Brim Hard Hats

Product	SKU	Description
The Peak Hard Hat	A79	HDPE shell with 4-point suspension, Pin Lock Ratchet adjustment - ANSI/CSA certified.
The K2 Hard Hat	A29	HDPE shell with 4-point suspension, Pin Lock Ratchet adjustment - ANSI/CSA certified.
The Matterhorn Hard Hat	A89	HDPE shell with 4-point suspension, Pin Lock Ratchet adjustment - ANSI/CSA certified.
North Zone Hard Hat	N10	HDPE shell with 4-point suspension, Pin Lock Ratchet adjustment - ANSI/CSA certified.

Full Brim Hard Hats

The Everest	A49	Full brim HDPE shell with 4-point suspension, Pin adjustment - ANSI/CSA certified.
The Everest	A119	Full brim HDPE shell with 6-point suspension, Ratchet adjustment - ANSI/CSA certified.

Accessories for Hard Hats

Hard Hat Adaptor - Front Brim	CP5005	Plastic dielectric cap style face shield bracket for Front Brim Hard Hat
Hard Hat Adaptor - Full Brim	CP5006	Lightweight plastic face shield bracket to fit full brim slotted hard hats.
Replacement Face Shield	4178CL	Wide view, clear, made of durable propionate
Replacement Face Shield	4199CL	Extended view, clear, made of durable propionate
Replacement Face Shield	A8150/40	Standard view, clear, made of PETG
Replacement Hard Hat Adaptor	13910096	Helmet adapter attachment for the North standard brim hard hat only, and EM7206-HL, EM4157-HL, EM2177-HL

For more information

www.howardleight.com

 [facebook.com/
HoneywellSafety](https://facebook.com/HoneywellSafety)

 [twitter.com/
HoneywellSafety](https://twitter.com/HoneywellSafety)

 [youtube.com/
hlhearforever](https://youtube.com/hlhearforever)

Honeywell Industrial Safety

900 Douglas Pike
Smithfield, RI 02917
Tel.: 888.212.7233
Fax.: 888.667.8477
www.honeywellsafety.com

HLI.111. Rev 1.0 04/17
©2017 Honeywell International Inc.

Honeywell
THE POWER OF **CONNECTED**