

## EC TYPE-EXAMINATION CERTIFICATE: 2950

**Product description: -**


Hearing Protector – Earplugs.

**Product identification: -**

Howard Leight, Trustfit Pod-1 (uncorded) and  
Trustfit Pod-30 (corded) re-usable earplugs.

**Manufacturer: -**

Honeywell Safety Products  
7828 Waterville Road  
San Diego  
CA 92154  
USA



**When assessed and examined against harmonised standard EN352-2:2002 is found to be in conformity with Council Directive 89/686/EEC and associated amendments, relating to personal protective equipment.**

**Signed:**



Helen Taft, Certification Manager


**Date: 4<sup>th</sup> October 2016**

**For and on behalf of INSPEC International Ltd.**

56 Leslie Hough Way, Salford, Gt Manchester M6 6AJ, England (Notified Body No: 0194)

**Certification remains valid until 4<sup>th</sup> October 2021, providing compliance with INSPEC's terms and conditions is maintained.**

**Original date of issue: 4<sup>th</sup> October 2016**



For terms and conditions of issue, see page 2

## Terms and Conditions

### Reference Documents:

- i) Test Reports - Michael & Associates, Inc. Q3917A Rev 1.
- ii) Technical File - TF/2950
- iii) Test and Inspection Plan - Issue 1, dated 16<sup>th</sup> September 2016.

### Conditions attached to the issue of this certificate:

- i) Marking and instructions have been assessed in the English language only. It is the Manufacturers/Authorised Representatives responsibility to obtain and supply language versions acceptable to the country where the product is to be sold.
- ii) Any changes to the product, technical file or quality manual/quality plan shall be immediately notified to INSPEC.
- iii) The Manufacturer/Authorised Representative shall comply at all times with INSPEC's Regulations governing CE Product Certification.
- iv) This Certificate remains the property of INSPEC and may be withdrawn if any of the conditions attached to its issue are not complied with.
- v) This certificate may be copied or reproduced by the certificate holder, complete and without omissions or additions, and in accordance with INSPEC's terms of business.
- vi) This certificate has been provided in accordance with our standard Terms of Business, which can be viewed at, and printed from:

<http://inspec-international.com/ToB.pdf>

If you have difficulty accessing the Terms of Business, you may contact us for a copy.

# CERTIFICATION INDEX

<b>Item</b>	<b>Status</b>	<b>Issued</b>	<b>Amendment</b>
Pages 1 - 4	Valid	161004	Initial Issue

# CERTIFICATION SCHEDULE

<b>Model</b>	<b>Re-usable</b>	<b>Corded</b>
Howard Leight Trustfit Pod-30	X	X
Howard Leight Trustfit Pod-1	X	-

Size range: 6 – 12mm.

<b>Frequency Hz</b>	<b>125</b>	<b>250</b>	<b>500</b>	<b>1000</b>	<b>2000</b>	<b>4000</b>	<b>8000</b>
Mean Attenuation (dB)	37.4	33.5	37.3	37.7	38.0	37.4	43.3
Standard Deviation (dB)	4.2	3.9	4.5	4.2	3.6	3.6	3.5
Assumed Protection (dB)	33.2	29.7	32.8	33.5	34.3	33.8	39.8

H = 35 dB; M = 33 dB; L = 32 dB  
SNR = 36 dB